

**The RG24-15M  
Aircraft Battery  
From Concorde  
Battery Corporation**

**RG24-15M Part of the Concorde Platinum Series of  
Aircraft Batteries**

[Outline Drawings \(PDF\)](#)

[Does this Battery fit in My Airplane?](#)

[FAA/PMA Battery Certification Info](#)


[PRINT THIS PAGE](#)  
[CLICK TO GO BACK](#)



**TSO Authorized**

[Click to enlarge](#)

RG24-15M Platinum Series Aircraft Battery Specifications:	
Primary Aircraft Purpose	General Aviation AGM Aircraft Battery
Voltage	24v
Rated Capacity C1 = 1 hr. rate in ampere hours	13.60
Cold Cranking Amps	200.0
Max Weight	29.50 lb / 13.4 kg



Concorde Battery Part Number	Ipp	Ipr	Ipp	Ipr	Ipp	Ipr
	23°C (74°F)	-18°C (0°F)	-30°C (-22°F)			
	A	A	A	A	A	A
RG24-15M	850	600	575	375	450	350

[PRINT THIS PAGE](#)

[Outline Drawings \(PDF\)](#)

[Does this Battery fit in My Airplane?](#)

[FAA/PMA Battery Certification Info](#)

**Description of Aircraft Battery:**

Recombinant Gas - The RG® Series are low resistance, valve regulated lead acid (VRLA) batteries.

- Superior starting power
- Reliable essential power in the event of a generator failure
- Low impedance design
- Maintenance free
- Constructed with non removable vent valves - no addition of electrolyte or water required
- Aerobatic: Non spillable at any altitude or attitude
- Factory tested to assure airworthiness
- Shipped fully charged and ready to install
- Manufactured with absorbed glass mat separators (AGM)
- The RG24-15M features a manifold to facilitate direct replacement of the originally designed manifold vented battery
- RG® Series batteries ship non-HAZMAT

NOTE: This aircraft battery is not designed or intended for turbine aircraft engine starting applications. Warranty coverage applies to reciprocating aircraft engine starting, and standby / essential power installations.

Specifications subject to change without notice.